



PLAN ON CORE PILECAP A1
SCALE 1:50



SECTION 2-2
SCALE 1:25

- This drawing shall be read in conjunction with all relevant drawings.
- Concrete Grade to be RC 32/40.
- For bar bending schedules refer to schedules no. 4706200-BBS/8012/01-02.
- Minimum cover to all reinforcement to be as follows:
Filecaps
75mm Bottom 50mm Top & Sides U.N.O.
- All concrete work to be in accordance with BS8110 and all relevant standards
T1 = First top layer of reinforcement
T2 = Second top layer of reinforcement
B1 = First bottom layer of reinforcement
B2 = Second bottom layer of reinforcement
N1 = First near face layer
N2 = Second near face layer
F1 = First far face layer
F2 = Second far face layer
BF = Both faces
EF = Each face
LL = long leg
ABR = Alternate bars reversed
ALT = Alternately place bars
- Minimum Laps to be:
H10 = 400 mm H12 = 500 mm
H16 = 650 mm H20 = 800 mm
H25 = 1000 mm H32 = 1300 mm
H40 = 1600 mm



SECTION 1-1
SCALE 1:25



TONY DOYLE ASSOCIATES LTD
COMPUTER AIDED DESIGN & DRAWING

SAMPLE DRAWING

PLEASE CONTACT US FOR FURTHER EXAMPLES